



ADT®

**VideoView Mobile
User Guide**

Typographic Conventions

This document uses the following typographic conventions to help you locate and identify information:

Italic text Identifies new terms, emphasis, and book titles

Bold text Identifies button names and other items that you can click or touch in the graphical user interface or press on a computer keyboard

`Mono text` Identifies text to enter on the keyboard

Note: Notes provide extra information about a topic that is good to know but not essential to the process.

CAUTION: Cautions draw your attention to actions that could compromise the security of your system or result in the loss of data.

©2014 ADT LLC dba ADT Security Services. All rights reserved. ADT, the ADT logo, 800 ADT.ASAP and the product/service names listed in this document are marks and/or registered marks. Unauthorized use is strictly prohibited.

Document Version 3.2.1 20140314

Table of Contents

1	Installation and Operation	1
1.1	General Introduction	1
1.2	Features	1
1.3	Compatible Models	1
1.4	Downloading and Installation	2
1.4.1	Android	2
1.4.2	iOS	2
1.5	Operation	2
1.5.1	Main Menu	2
2	Live Preview	4
2.1	Enable Monitoring	5
2.2	Close Monitoring	7
2.3	Record Video	7
2.4	Snapshot	8
2.5	Favorites	8
2.6	Real-time Playback	9
2.7	PTZ	10
2.7.1	Direction and Zooming	10
2.7.2	Preset	11
2.7.3	EPTZ	11
2.8	Bit Stream Switch	12
2.9	Alarm Out Control	13
2.10	Light Control	14
2.11	Image Adjustment	15
2.12	Full Screen	16
3	Playback	17
3.1	Playback Recording	17
3.2	Playback Picture	19
3.2.1	Smart Mode	19
4	Device Manager	20
4.1	Add Device	20
4.2	Modify Device Info	21
4.3	Delete Device	22
4.4	Remote Configuration	22
4.5	View HDD Information	23
4.6	Alarm Out Control	24
4.7	Import Cloud Device	25

5	File Manager	26
5.1	View File	26
5.2	Share File	26
5.3	Export File	26
6	E-Map	27
6.1	Create E-Map	27
6.2	Edit E-Map	27
7	Favorites	28
8	Alarm Push	29
8.1	Push Config	29
8.1.1	Instant View	30
8.2	Alarm Push Event List	30
9	Local Config	31
	Index	32

1 Installation and Operation

1.1 General Introduction

The VideoView Mobile software app is designed to provide remote access to video monitoring functions on your smart phone. This app features touch control, touch signal recognition, alarm push, P2P functionality and DDNS analysis. You can monitor live video, control the PTZ camera, and playback video from a front-end camera, DVR, or speed dome under 3G, 4G and WIFI environments.

Note: This software supports the iOS and Android platforms only; iDMSS supports iOS and gDMSS supports Android.

1.2 Features

The VideoView Mobile app features:

- Multiple channel monitoring and playback with a maximum of 16 windows
- Real time live video (Live Preview)
- Fast, slow and frame-by frame playback modes
- Local snapshot and recording; corresponding files are stored locally
- PTZ control on the touch screen
- Remembers last-viewed channel
- Color setting and streaming parameter adjustments
- Alarm push
- Bidirectional talk
- Smart Mode function for viewing different parts of a picture on different windows at the same time
- E-Map function that displays cameras on an electronic map of the premises
- Channel resolution and frame configuration
- Hard disc information display screen

1.3 Compatible Models

This product supports the following models:

Android Android 2.2 and higher; resolution: 480 x 800 and higher

Note: To use the Alarm Push function, you must first create a Google account.

iPhone IOS 4.3 and higher

1.4 Downloading and Installation

The product has Android and iOS versions.

1.4.1 Android

1. Open Google Play on your smart phone.
2. Search for **gDMSS Lite** or **gDMSS Plus**.
3. Download and install.

1.4.2 iOS

1. Open the App Store on your smart phone.
2. Search for **gDMSS Lite** or **gDMSS Plus**.
3. Download and install.

1.5 Operation

1.5.1 Main Menu

When the VideoView Mobile app first opens, the Live Preview screen appears by default, as shown in Figure 1-1.





Figure 1-1

Tap the  button on the upper left side of the screen. The Main Menu screen appears, as shown in Figure 1-2.




Figure 1-2


Touch a function in the main menu to open the associated screen.

Main functions of the app include the following:

- **Live Preview**, described in Section 2 on page [4](#)
- **Playback**, described in Section 3 on page [17](#)
- **Device Manager**, described in Section 4 on page [20](#)
- **Local Files**, described in Section 5 **File Manager** on page [26](#)
- **E-Map**, described in Section 6 on page [27](#)
- **Favorites**, described in Section 7 on page [28](#)
- **Push Config** and **Event List** are described in Section 8 **Alarm Push** on page [29](#)
- **Local Config**, described in Section 9 on page [31](#)

2 Live Preview

When the VideoView Mobile app first opens, the Live Preview screen appears by default.

If you are in another screen, tap  to bring up the Main Menu, and then tap **Live Preview** to open the Live Preview screen.

















Figure 2-1


Tap the tool bar at the bottom of the screen to display more buttons.

Icon	Function	Icon	Function
	1/4/9/16 window split		Open/Close Bit Stream control panel
	Open channels; Close all channels		Open/Close Alarm Out control panel
	Favorites		Open/Close Audio
	Local Snapshot		Open/Close Bidirectional Talk
	Start/Stop video in current window		Open/Close Light Control panel
	Start/Stop Playback		Open/Close Image Adjustment control panel
	Open/Close PTZ control panel		


2.1 Enable Monitoring

The VideoView Mobile app supports four methods for enabling video monitoring.

Method 1. Open video in a particular window

- Tap  in the window, and then select the channel to be displayed.

Method 2. Open video in multiple windows

- Tap  in the upper right corner of the screen.
- Select one or more channels in the Device List that appears.
- Tap **Start Live Preview** at the bottom of the Device List.

Video from the selected devices is displayed in sequence, as shown in Figure 2-2.




Figure 2-2

Method 3. Quick Preview

- After you have added a device (see page [20](#)), tap **Start Live Preview** to open the Live Preview screen.





Figure 2-3

Method 3. Open last-used channels

- Tap  to open the most recently viewed channels.

2.2 Close Monitoring

The VideoView Mobile app supports two methods for closing video monitoring.

Method 1. Close a single channel

- Touch and hold the monitoring window you want to close and drag it to the trashcan. See Figure 2-4.







Figure 2-4

Method 2. Close all channels

- Tap  to close all monitoring channels.


2.3 Record Video

To Record Video

1. Select the channel you want to record.
2. Tap  to start recording that channel. The Recording Status on the bar at the bottom of the Live Preview screen displays a red dot.
3. Tap  again to stop recording. The red dot disappears.

2.4 Snapshot

The VideoView Mobile app enables you to take a still snapshot from the Live Preview screen.

1. Select the desired channel.
2. Tap  to take a snapshot of the current channel.

View the snapshots under the local file path. Android devices can view snapshots directly under the app installation path.

2.5 Favorites

The VideoView Mobile app supports Favorites.

To set Favorites

1. In Live Preview screen, tap  to display the Favorites panel.






Figure 2-5

2. Tap  to add channels in the preview to the Favorites group.
3. Tap the channel to add.
4. Tap  to accept. See Figure 2-6.







Figure 2-6

5. Tap  to quickly open all channels included in the Favorites group.


2.6 Real-time Playback

To playback video

1. In Live Preview, tap . The selected channel plays previous 15 seconds of video.
Note: The default playback time is 15 seconds. You can change the playback time in the local configuration.
2. Tap  to end playback and return to monitoring mode.

2.7 PTZ

2.7.1 Direction and Zooming

1. Tap  to activate the PTZ panel. The selected window is maximized as in Figure 2-7.





Figure 2-7

2. While the PTZ control is activated, slide your finger across the touch screen to control the PTZ direction:
 - PTZ rotation: slide your finger across the touch screen to rotate the PTZ in that direction.
 - Focus control: Slide with two fingers to control the focus.

You also can touch:



 to control Zoom

 to control Focus

 to control Iris

2.7.2 Preset

To set Preset points

1. Move the PTZ to the desired place on the touch screen.
2. On the PTZ panel, tap .
3. Select the preset number.
4. Tap  to set this preset point.





Figure 2-8


2.7.3 EPTZ

1. On the PTZ panel, tap  to switch to EPTZ mode.
2. Slide across the touch screen to zoom in/out of the video display.

Note: The PTZ function is only for cameras that support PTZ. EPTZ is supported by all devices.

2.8 Bit Stream Switch

This feature enables you to switch between Main Stream and Extra Stream.

1. Select a window in Live Preview mode.
2. Tap . The Bit Stream Switch panel is displayed, as shown in Figure 2-9.







Figure 2-9

3. Switch between Main Stream and Extra Stream.
 - Tap  to switch to HD mode (Main Stream)
 - Tap  to switch to fluent mode (Extra Stream).
 - Tap  to customize Main Stream/Extra Stream as shown Figure 2-10.





Figure 2-10

2.9 Alarm Out Control

To enable or disable device alarm output

1. Select a monitoring channel in Live Preview mode.
2. Tap the  button. The Alarm Output panel opens, as shown in Figure 2-11.





Figure 2-11

3. Tap the toggle button to enable or disable the alarm output for that channel.

2.10 Light Control

The VideoView Mobile app supports device compensation lighting.

1. Select a monitoring channel in Live Preview mode.
2. Tap the  button to open the light panel as in Figure 2-12.







Figure 2-12

3. Tap the toggle switch to turn the compensation light On or Off.
4. Tap  or  to adjust the light up or down.

Note: Only the K100 model supports light control.

2.11 Image Adjustment

To make image adjustments

1. In Live Preview, select a monitoring window.
2. Tap the  button to open the Image Adjustment control panel, as shown in Figure 2-13.









Figure 2-13

3. Tap an icon to adjust the corresponding setting. Refer to the following table.

Icon	Setting
	Brightness
	Contrast
	Color
	Saturation
	Weight

4. Increase/decrease the setting by tapping the +/- buttons in the monitoring window.

2.12 Full Screen

In Live Preview mode, rotate the phone 90° and the screen reconfigures to a landscape orientation, or Full Screen mode. See Figure 2-14.





Figure 2-14

Note: If you cannot enter full screen mode, please check the smart phone settings.

3 Playback

The VideoView Mobile app can playback recorded video saved on the device and snapshot pictures saved on the front-end device.

To use the Playback feature

1. Tap the  button to view the Main Menu.
2. Tap **Playback** on the Main Menu to open the Playback screen.

Playback Recording is initiated by default, but you can switch to Playback Picture by touching the associated button at the top of the screen.

 = Playback Recording


 = Playback Picture

3.1 Playback Recording



Figure 3-1

To search for a recording:

1. Tap  in a window to open the Device List.
2. Select the playback period.

3. Select the channel to view. The recording from the selected channel is played back in the selected window.





Figure 3-2

4. Use the buttons to control the playback, as described in the following table.



Button	Function
	Play toolbar control: 5 min, 30 min or 60 min
	Previous / Next
	Fast Forward (200% faster) / Slow Forward (50% slower) For example, while playing video at normal speed: <ul style="list-style-type: none"> • Tap for 2x speed; tap again for 4x speed • Tap to slow back to 2x speed; tap again to reduce to normal speed • Tap to slow to 1/2 speed; tap again to slow further to 1/4 speed • Tap to return to 1/2 speed; tap again to return to normal speed
	Play / Pause
	Frame-by-Frame; tap to advance to the next frame

5. Close the Playback screen:

- To close a single channel, touch and hold the video on the touchscreen and drag it to the trashcan above.
- To close all channels, tap the  button.


3.2 Playback Picture

To playback pictures

1. Tap the  button to open the Device List.
2. Select the playback period.
3. Select the channel to view. The picture from the selected channel is played back in the selected window.
4. Tap  to close the playback screen.

3.2.1 Smart Mode

Smart Mode enables you to view different parts of a picture on different windows at the same time.

During picture playback, tap  to enter Smart Mode. The screen splits into 4 separate windows. You can zoom in and out in each of the windows. See Figure 3-3.




Figure 3-3



4 Device Manager

In Device Manager, you can add or delete a device, modify device information, remotely configure the device, control the alarm output, and view HDD information. You also can import a cloud device.

Touch a device in the list to view its function buttons.

4.1 Add Device

To add a device:

1. In the Main Menu, tap  Device Manager.
2. In the Device Manager, tap . The Add Device screen opens. Fill in or select the information in the appropriate fields.




Figure 4-1

Register Mode

Select from the following:

- **P2P.** For a network environment, the device should have P2P enabled and be connected to the Internet. Add a device by scanning the QR code or inputting the SN.
- **Dahua/QuickDDNS.** For a network environment, the device must be registered on the DDNS server and connected to the Internet. Add the device by inputting the complete DDNS domain name address. Analysis is performed by DahuaDDNS and QuickDDNS.
- **IP/Domain name:** For a normal environment, add the device by inputting its IP address or third-party domain name and port.

Name

Enter the device name.

SN / Address / IP Domain and Port


- For P2P type: enter the device serial number.
- For Quick DDNS/Dahua type: enter the complete domain name.
- For IP/Domain name type: enter the IP address or complete third party domain name and port.

Username/Password

The device username and password are both **admin** by default.

Live Preview/Playback

Select **Main Stream** or **Extra Stream** for Live Preview and Playback modes.

3. Fill in the parameters, and then tap  to save.

Note:

- You can touch **Start Live Preview** to view all channels of the device. The system switches to the monitoring screen and saves the device information.
- For devices supporting P2P, you can scan the QR code or enter the SN to add the device.

4.2 Modify Device Info

To modify device information:

1. Tap the device in the Device Manager screen. A dropdown menu appears.






Figure 4-2

2. Tap  in the dropdown menu.
3. Change the device info, and then tap  to save.

4.3 Delete Device

To delete a device:

1. Tap the device in the Device Manager. A dropdown menu appears.





Figure 4-3

2. Tap  in the dropdown menu.
3. Tap **OK** to confirm the deletion.

4.4 Remote Configuration

Using remote configuration, you can perform Motion Detect, Alarm settings, Camera settings, Storage Manager and User Manager.

To remotely configure a device:

1. Tap the device in the Device Manager. A dropdown menu appears.





Figure 4-4

2. Tap  in the dropdown list.
3. Select the corresponding item that you want to configure remotely.




Figure 4-5

4.5 View HDD Information

You can view HDD name, status, free capacity and total capacity.

To view information on the hard disc:

1. Tap the device in the Device Manager. A dropdown menu appears.





Figure 4-6

2. In dropdown the menu, tap  to view HDD information. See Figure 4-7.



Demo	
Name	HDD 02
State	Error
Free capacity	218.28 G
Total capacity	232.87 G

Figure 4-7

4.6 Alarm Out Control

You can enable and disable alarm output of channel.

To enable or disable alarm output:

1. Tap the device in the Device Manager. A dropdown menu appears.






Figure 4-8

2. In the dropdown menu, tap .
3. Select the Alarm Out channel, and tap the toggle switch  to enable or disable Alarm Out.




Figure 4-9

4.7 Import Cloud Device

The VideoView Mobile app enables you to import a cloud device. For example, if you have a cloud account (DDNS or Easy4IP account) and the account is associated with the device, you can import the corresponding devices without having to manually add them one by one.

To import a cloud device:

1. Tap the **Import Cloud Device** button at the bottom of the Device Manager.
2. Select the cloud account type, and then input the username and password.
 - For DahuaDDNS: use the cloud account on Dahua DDNS
 - For QuickDDNS: use the cloud account on Quick DDNS
 - For PSP: use the cloud account on Easy4IP server
3. Tap **Login** to import the device under the cloud account.

Note: Devices from a DDNS account will be shown with a question mark (?). The "?" means there is incomplete device user and password information, which will be completed later.



5 File Manager

The VideoView Mobile app supports viewing, editing, and exporting of live preview, snapshots and recordings during playback.

5.1 View File

Touch the recording file to view it. In the interface, you can select play, pause, take a snapshot, and so forth.

5.2 Share File

1. Tap  or touch and hold the file to enter file manager mode.
2. Select the file to share.
3. Tap  to share the file.

Note: For Android only.

5.3 Export File



1. Tap  or touch and hold the local file to enter Manager mode.
2. Select the file to export.
3. Tap  to export a video as shown in Figure 5-1.



Figure 5-1

Note: You do not need to export pictures using the Android OS. You can find the picture under the installation path.

6 E-Map

6.1 Create E-Map







1. Tap  to add one picture as a map.
2. Tap  to add a monitoring spot on the map.
3. Go to the device list and select the channel.
4. Place the added channel at the appropriate location on the map and tap  to save. See Figure 6-1.



Figure 6-1

6.2 Edit E-Map






Select an E-Map, and tap the  button to enter edit mode.

- Tap  to switch maps
- Tap  to add a monitoring spot
- Tap  to delete a monitoring spot

7 Favorites

In this interface you can create new Favorites, or else add new monitoring spots to existing Favorites.

To setup Favorites




1. Tap the  button to view the Main Menu.
2. Tap  **Favorites** on the Main Menu to open the Favorites screen.
3. To create a Favorite group, tap  and enter a name for the group.
4. To add channels to the Favorite group, tap  in the upper-right corner to open the device list.
5. From the device list, touch the channel to be added and tap  to add it to that Favorites group.
6. To delete Favorites:
 - Android: Touch and hold the Favorite and tap **Delete** in the resulting pop-up box.
 - iOS: On the row of the Favorite, slide the **Delete** button and tap **Delete**.
7. To remove a Monitoring Spot in Favorites:
 - Android: Enter Favorites, Touch and hold the channel and tap **Delete** in the resulting pop-up box.
 - iOS: On the row of the channel, slide the **Delete** button and tap **Delete**.

8 Alarm Push

This section describes the features that push alarm information generated on the front end device to the smart phone by integrating the device alarm module. You can view alarm recordings, preview and playback pictures according to push information collected.

8.1 Push Config

Use this feature to configure the type of information to be pushed in the event of an alarm.

1. Tap the  button to view the Main Menu.
2. Tap  **Push Config** on the Main Menu to open the Push Config screen.
3. Select the device to push.
4. Edit the **Period** during which you can receive an alarm push. Range: 1–365 days.
5. Select the **Push Type** (video or picture).
6. Select the type of info and channel to push.
 - Motion Detect
 - Camera Masking
 - Local Alarm
 - HDD Alarm
7. Tap  to save. See Figure 8-1.







Figure 8-1

8.1.1 Instant View

After you have set the Push Config information, the mobile device receives an alarm notice whenever the front-end device generates an alarm push. Touch the message in the notice bar to view detailed information. The recording or picture opens according to the priority you have set. If there is no recording or picture, the Live Preview is displayed.

In the alarm push screen (Figure 8-2), touch the corresponding button to switch from alarm recording , to alarm picture  to live preview .





Figure 8-2

Note:

- Android users must login to their Google account.
- Video and picture push requires a storage medium on the front-end device and you must set alarm recording.

8.2 Alarm Push Event List

Select  **Event List** to view historical records in the event list. The system supports storage of up to 50 historical records.

9 Local Config

This screen is for changing local configuration settings, such as PTZ step, capture mode, push duration and others. See Figure 9-1.




Figure 9-1

PTZ Step. This is used to set the PTZ step size during Live Preview mode. The larger the step length, the higher the speed will be. The range is 1-8.

Capture Mode. This configures the number of continuous Snapshots that are taken in Live Preview mode. There are three settings: 1, 3 and 5.

Push Duration. This sets the playback duration of the video pushed to your mobile device. Select from: 15s, 30s, 1min, 2min or 5min.

Video Mode. This sets the video performance mode. The default is high-performance. If you encounter a window split error or system crash, you can lower the performance setting.

Real-time Playback. This sets the video playback period. Select from 5–60 seconds.

Protection. This sets password protection for the VideoView Mobile app. After you have set the password here, you must enter it each time you login for security purposes.

Index

A

Add Device, *20*
Alarm Out, *24*
Alarm Push, *29*
 Event List, *30*

B

Bit Stream Switch, *12, 13*

C

Close Video Monitoring, *7*

D

Delete Device, *22*
Device
 Add, *20*
 Delete, *22*
 Modify, *21*
Device Manager, *20*

E

E-Map, *27*
Enable Video Monitoring, *5*
End Video Monitoring, *7*
EPTZ, *11*
Event List, *30*
Extra Stream, *12*

F

Favorites, *8, 28*
Features, *1*
File Manager, *26*
Full Screen, *16*

H

Hard Drive Information, *23*

I

Image Adjustment, *15*
Import Cloud Device, *25*
Installation, *2*

L

Light Control, *14*

Live Preview, *4*

 Bit Stream, *12, 13*
 Close Monitoring, *7*
 Enable Monitoring, *5*
 EPTZ, *11*
 Favorites, *8*
 Full Screen, *16*
 Image Adjustment, *15*
 Light Control, *14*
 Playback, *9*
 PTZ, *10*
 Direction and Zoom, *10*
 Preset, *11*
 Record Video, *7*
 Snapshot, *8*
Local Config, *31*

M

Main Menu, *2*
Main Stream, *12*
Modify Device, *21*

P

Password, *31*
Playback, *9, 17*
 Recorded Video, *17*
 Smart Mode, *19*
 Snapshot Pictures, *19*
PTZ, *10*
 Direction and Zoom, *10*
 Preset, *11*

R

Record Video, *7*
Remote Configuration, *22*

S

Snapshot, *8*

V

Video Monitoring, *4*
 Close Video, *7*
 Enable Video, *5*